Journal of Applied Biomaterials
Author Index—Volume 3

Abrams, Jr., C.F. See George II, T.F., 29
Alexander, H.
The Editor's Corner: Implant Retrieval and Analysis Revisited, 163
—; See Ricci, J.L., 225
The Editor's Corner, 315
Andrady, A.L. See Wilson, T.W., 117
Andriano, K.P.
—; Daniels, A.U.; Heller, J.: Effectiveness of Silane Treatment on Absorbable Microfibers, 191
—; Daniels, A.U.; Heller, J.: Biocompatibility and Mechanical Properties of a Totally Absorbable Composite Material for Orthopaedic Fixation Devices, 197
Arizono, T. See Oga, M., 95
Askew, M.J. See Bhat, S., 207

Bentz, M.L. See Johnson, P.C., 1
Berceli, S.A. See Johnson, P.C., 1
Bhat, S.
—; Askew, M.J.; Njus, G.; Smith, D.J.: Alkyl Cyanoacrylates as Space Filling Bone Adhesives, 207
Black, J.
—; See Leigh, H.D., 77
—; Shalaby, S.W.; LaBerge, M.: Biomaterials Education: An Academic Viewpoint, 231
Bloebaum, R.D. See Mantas, J.P., 183
Blumenthal, N.C. See Kummer, F.J., 39
Borovetz, H.S. See Johnson, P.C., 1
Boyde, A. See Wolfe, L.A., 217
Buckley, C.A.
—; Pulawski, G.; Lautenschlager, E.P.: Technical Note: A Convenient Testing Template, 313
Burstone, C.J. See Patel, A.P., 177

Carlson, C.S. See George II, T.F., 29
Casar, R.S. See Ricci, J.L., 225
Chrisey, D.B. See Cotell, C.M., 87
Chu, C.C. See Loh, I.-H., 131
Cooper, S.L. See Wabers, H.D., 167
—; See Hergenrother, R.W., 17
Cotell, C.M.
—; Chrisey, D.B.; Grabowski, K.S.; Sprague, J.A.; Gossett, C.R.: Pulsed Laser Deposition of Hydroxylapatite Thin Films on Ti–6Al–4V, 87
Coughlin, R.W.
—; Vieth, R.F.; DiBenedetto, A.T.: Polypropylene IUCD Retrieval Fibers: Surface Morphology, Material Properties, Microbial Attachment, and Migration, 99
Coury, A.J. See Wabers, H.D., 167

Daniels, A.U. See Andriano, K.P., 191
—; See Andriano, K.P., 197
Davies, J.P.
—; Singer, G.; Harris, W.H.: The Effect of a Thin Coating of Polymethylmethacrylate on the Torsional Fatigue Strength of the Cement–Metal Interface, 45
—; Harris, W.H.: The Effect of the Addition of Methylene Blue on the Fatigue Strength of Simplex P Bone-Cement, 81
DeYoung, D.J. See George II, T.F., 29
DiBenedetto, A.T. See Coughlin, R.W., 99

Feijen, J. See Hinrichs, W.L.J., 287
Feldman, D.S. See Sierra, D.H., 147
Fenclová, T. See Lukáš, J., 275
Fornasier, V.L.
—; Sanders, G.; Goodman, S.B.: Histological Techniques for the Study of the Biomaterial-Tissue Interface of Total Joint Replacements—A Modification for the Preservation of Bone Cement, 59
Fritschy, W.M. See Wolters, G.H.J., 281

Garrett, K.O. See Johnson, P.C., 1
George II, T.F
—; Abrams, Jr., C.F.; Richardson, D.C.; DeYoung, D.J.; Carlson, C.S.; Meutin, D.: Vibrational Response Analysis: Non-Destructive Evaluation of Ingrowth into Porous Coated Implants, 29
Gerrits, D. See Wolters, G.H.J., 281
Goldberg, A.J. See Patel, A.P., 177
Golomb, G.
—; Levi, M.; Van Gelder, J.M.: Controlled Release of Bisphosphonate from a Biodegradable Implant: Evaluation of Release Kinetics and Anticalcification Effect, 23
Goodman, S.B. See Fornasier, V.L., 59
Gossett, C.R. See Cotell, C.M., 87
Grabowski, K.S. See Cotell, C.M., 87
Gristina, A.G. See Oga, M., 95

Harris, W.H. See Davies, J.P., 45
—; See Davies, J.P., 81
Heller, J. See Andriano, K.P., 191
—; See Andriano, K.P., 197
Hergenrother, R.W.
—; Wabers, H.D.; Cooper, S.L.: The Effect of Chain Extenders and Stabilizers on the *In-Vivo* Stability of Polyurethanes, 17
—; See Wabers, H.D., 167
Hinrichs, W.L.J.
—; Lommen, E.J.C.M.P.; Wildevuur, Ch.R.H.; Feijen, J.: Fabrication and Characterization of an Asymmetric Polyurethane Membrane for Use as a Wound Dressing, 287
Hofmann, A.A. See Mantas, J.P., 183
Hogervorst, T.
—; Meijer, D.W.; Klopper, P.J.: The Effect of a TCP–Collagen Implant on the Healing of Articular Cartilage Defects in the Rabbit Knee Joint, 251
Huang, S. See Sierra, D.H., 147

Iwashita, Y.
—; Yamamuro, T.; Kasai, R.; Kitsugi, T.; Nakamura, T.; Okumura, H.; Kokubo, T.: Osteoconduction of Bioceramics in Normal and Osteopenic Rats: Comparison between Bioactive and Bioinert Ceramics, 259
Iwata, H.
—; Yamamura, K.; Zhao, X.Z.: The Effect of Egg Phosphatidylcholine on Antibiotics Retention and Release from Hydroxyapatite, 269

Jaffe, W.L. See Kummer, F.J., 211
Janosky, J.E. See Johnson, P.C., 1
Jensen, J.S. See Trap, B., 51
Johnson, P.C.
—; Sheppeck, R.A.; Berceli, S.A.; Borovetz, H.S.; Bentz, M.L.; Garrett, K.O.; Janosky, J.E.: Customized Neonatal Incubator for Measurement of Platelet-Artificial Microvascular Graft Interactions under Controlled Flow, Temperature, and Transmural Pressure, 1

Kageyama, H. See Kuroyanagi, Y., 153
Kaplan, M. See Mazid, M.A., 9
Kasai, R. See Iwashita, Y., 259
Kenmochi, M. See Kuroyanagi, Y., 153
Kesavan, S.K.
—; Yazdani, S.A.: Strain Analysis of Flexing Blood Pump Diaphragms, 305

Kim, E. See Kuroyanagi, Y., 153
King, M. W. See Robertson, C. R., 75
Kitsugi, T. See Iwashita, Y., 259
Klopper, P. J. See Hogervorst, T., 251
Kokubo, T. See Iwashita, Y., 259
Kossovsky, N.
—; Papasian, N.: Clinical Reviews: Mammary Implants, 239
Kotani, S. See Yoshii, S., 245
Kummer, F. J.
—; Ricci, J. L.; Blumenthal, N. C.: RF Plasma Treatment of Metallic Implant Surfaces, 39
—; Jaffe, W. L.: Stability of a Cyclically Loaded Hydroxyapatite Coating: Effect of Substrate Material, Surface Preparation, and Testing Environment, 211
—; See Ricci, L., 225
Kuroyanagi, Y.
—; Kim, E.; Kenmochi, M.; Ui, K.; Kageyama, H.; Nakamura, M.; Takeda, A.; Shioya, N.: A Silver-Sulfadiazine-Impregnated Synthetic Wound Dressing Composed of Poly-L-Leucine Spongy Matrix: An Evaluation of Clinical Cases, 153

LaBerge, M. See Black, J., 231
Lautenschlager, E. P. See Buckley, C. A., 313
Leigh, H. D.
—; Taylor, P.; Swaney, A.; Black, J.: Research and Development Report: Production of Fine Particulate Ultra High Molecular Weight Poly(ethylene) for Biological Response Studies, 77
Levi, M. See Golomb, G., 23
Lin, H.-L. See Loh, I.-H., 131
Loh, I.-H.
—; Lin, H.-L.; Chu, C. C.: Plasma Surface Modification of Synthetic Absorbable Sutures, 131
Lommen, E. J. C. M. P. See Hinrichs, W. L. J., 287
Low, S. B. See Wilson, J. W., 123
Lukáš, J.
—; Fenclová, T.; Tyráčková, V.; Vacík, J.: The Surface Treatment of Polypropylene Molds and its Effect on the Quality Cast Contact Lenses, 275

Mantas, J. P.
—; Bloebaum, R. D.; Hofmann, A. A.: Histologic Analysis of a Retrieved Expanded Polytetrafluoroethylene Posterior Cruciate Ligament, 183
Mazid, M. A.
—; Kaplan, M.: An Improved Affinity Support and Immunoadsorbent with a Synthetic Blood Group Oligosaccharide and Polymer Coating for Hemoperfusion, 9
Meijer, D. W. See Hogervorst, T., 251
Meunier, A.
Review of *The Bone-Biomaterial Interface*, J. E. Davis, Ed., 237
Meutin, D. See George II, T. F., 29
Myrvik, Q. N. See Oga, M., 95

Nakamura, M. See Kuroyanagi, Y., 153
—; See Yoshii, S., 245
—; See Iwashita, Y., 259
Naylor, P. T. See Oga, M., 95
Njus, G. See Bhat, S., 207

Oga, M.
—; Arizono, T.; Sugioka, Y.; Naylor, P. T.; Myrvik, Q. N.; Gristina, A. G.: *In Vitro* Analysis of the Effects of Biomaterial Adherence on a *Staphylococcus epidermidis* Strain's Sensitivity to Cephaloridine, 95
Oka, M. See Yoshii, S., 245
Okumura, H. See Iwashita, Y., 259

Papasian, N. See Kossovsky, N., 239
Patel, A. P.
—; Goldberg, A. J.; Burstone, C. J.: The Effect of Thermoforming on the Properties of Fiber-Reinforced Composite Wires, 177
Pulawski, G. See Buckley, C. A., 313

Ricci, J. L. See Kummer, F. J., 39
—; Kummer, F. J.; Alexander, H.; Casar, R. S.: Embedded Particulate Contaminants in Textured Metal Implant Surfaces (Technical Note), 225
Richardson, D. C. See George II, T. F., 29
Robertson, C. R.
—; King, M. W.: Letter to the Editor, 75

Sanders, G. See Fornasier, V. L., 59
Salman, N. N.
Letter to the Editor, 165
Saltz, R. See Sierra, D. H., 147
Shalaby, S. W.
Bioabsorbable Polymers Update, 73
—; See Black, J., 231
Sheppeck, R. A. See Johnson, P. C., 1
Shioya, N. See Kuroyanagi, Y., 153
Sierra, D. H.
—; Feldman, D. S., Saltz, R.; Huang, S.: A Method to Determine Shear Adhesive Strength of Fibrin Sealants, 147
Singer, G. See Davies, J. P., 45
Smith, D. J. See Bhat, S., 207
Sprague, J. A. See Cotell, C. M., 87
Sugioka, Y. See Oga, M., 95
Swaney, A. See Leigh, H. D., 77

Takagi, H. See Yoshii, S., 245
Takeda, A. See Kuroyanagi, Y., 153
Taylor, P. See Leigh, H. D., 77
Trap, B.
—; Wolff, P.; Jensen, J. S.: Acrylic Bone Cements: Residuals and Extractability of Methacrylate Monomers and Aromatic Amines, 51
Tyráčková, V. See Lukáš, J., 275

Ui, K. See Kuroyanagi, Y., 153

Vacík, J. See Lukáš, J., 275
Van Gelder, J. M. See Golomb, G., 23
van Schilfgaarde, R. See Wolters, G. H. J., 281
Vieth, R. F. See Coughlin, R. W., 99
von Recum, A. F.
The Academic Environment of Biomaterials Science and Engineering, 63

Wabers, H. D. See Hergenrother, R. W., 17
—; Hergenrother, R. W.; Coury, A. J.; Cooper, S. L.: Thrombus Deposition on Polyurethanes Designed for Biomedical Applications, 167
Wildevuur, Ch. R. H. See Hinrichs, W. L. J., 287
Wilson, J. W.
—; Low, S. B.: Bioactive Ceramics for Periodontal Treatment: Comparative Studies in the Patus Monkey, 123
Wilson, T. W.
—; Andrady, A. L. Burst Testing of Condoms. I. Basic Features of the Force-Deformation Curve of Latex-Rubber Condoms, 117
Wolfe, L. A.
—; Boyde, A. Biocompatibility Tests on a Novel Glass–Ceramic System, 217
Wolff, P. See Trap, B., 51
Wolters, G. H. J.
—; Fritschy, W. M.; Gerrits, D.; van Schilfgaarde, R.: A Versatile Alginate Droplet Generator Applicable for Microencapsulation of Pancreatic Islets, 281

Yamamura, K. See Iwata, H., 269
Yamamuro, T. See Yoshii, S., 245
—; See Iwashita, Y., 259
Yazdani, S. A. See Kesavan, S. K., 305
Yoshii, S.
—; Yamamuro, T.; Nakamura, T.; Oka, M.; Takagi, H.; Kotani, S.: Glass–Ceramic Implant in Acetabular Bone Defect: An Experimental Study, 245

Zhao, X. Z. See Iwata, H., 269

Journal of Applied Biomaterials
Subject Index—Volume 3

Absorbable sutures, 131
Acetabular, 245
Acrylic bone cement, 51
Adhesion, 1
Administration, 63
Affinity support, 9
Alginate droplet generator, 281
Antibiotics, 95, 269
Aromatic amines, 51
Artificial bone, 245
Artificial skin, 287
Asymmetric membranes, 287

Biaxial deformation, 117
Bioabsorbable polymers, 73
Bioactive ceramics, 123
Bioactive materials, 123
Bioceramics, 259
Biocompatibility, 183, 197, 217
Biodegradable, 23
Biodegradation, 197
Bioglass, 123
Biomaterial adherence, 95
Biomaterial–tissue interface, 59
Biomaterials, 1, 63
Biostability, 17, 167
Blood group antibodies, 9
Blood pumps, 305
Bone, 207
Bone cement, 45, 51, 59
Burst testing, 117

Calcification, 23
Calcium phosphate, 87
Calcium–sodium–meta phosphate, 191
Cartilage repair, 251
Cementless, 29
Centrifugation, 81
Cephaloridine, 95
Ceramic, 217
Ceramic implants, 245
Chain extender, 17
Composite, 191
Composite mechanical properties, 197
Condoms, 117
Contact lenses, 275
Controlled release, 23
Curricula, 231
Cyamoacrylates, 207

Diaphragm pumps, 305
Draw ratio, 99

Egg phosphatidylcholine, 269
Embedded particulate contaminants, 225
Endosseous implant, 217
Engineering, 63
Epiphysis, 251
Extrusion, 99

Fatigue, 45, 81
Fiber, 191
Fiber-reinforced composites, 177
Fibrin sealant, 147
Fibrinogen deposition, 167

Glass–ceramics, 245
GPC, 17

Hemoperfusion, 9
Histomorphometry, 217
Hydrolytic degradation, 131
Hydroxyapatite, 39, 211
Hydroxyapatite (HAP), 269
Hydroxylapatite, 87
Hypoplasia, 245

Immunoadsorbent, 9
Implant retrieval, 163
Implantable drug delivery systems, 23
Implants, 23, 29, 87
Inflation, 117
Ingrowth, 29
Instruction, 231
Interface strength, 45
In vivo degradation, 17

Joints, 59

Left ventricular assist devices (LVADs), 305

Mammary implants, 239
Material testing method, 147
Materials and microbiology, 99
Mechanical properties, 177, 191
Metal implant surfaces, 225
Methylene blue, 81
Microbial surface colonization and migration, 99
Microencapsulation, 281
Monomers, 51

Nondestructive, 29

Orthopaedic biomaterials, 81
Orthopaedic implants, 45
Orthopedic, 29
Osteoconduction, 259
Osteopenia, 259

Pancreatic islets, 281
Periodontal disease, 123
Photoabsorptiometry, 259
Plasma treatment, 131
Plastic reconstructive surgery, 153
Platelets, 1, 167
PMMA precoat, 45
Polymer coating, 9
Polypropylene, 99
Polypropylene molds, 275
Polytetrafluoroethylene, 183
Polyurethane, 17, 287
Polyurethanes, 167
Porosity, 81
Prosthesis, 183
Prosthetics, 87
Pulsed laser deposition, 87
Push-out tests, 217

Rat, 259
Research, 231
RF plasma, 39
Rheology, 1

Science, 63
SEM, 17
Soft tissue, 313
Space filling, 207
Strain-energy function, 117
Substrate material, 211
Surface modification, 39, 87, 191
Surface morphology, 99
Surface preparation, 211
Surface treatment, 39
Synthetic absorbable biomaterials, 131
Synthetic ligament, 183
Synthetic oligosaccharide, 9

Tensile test, 313
Testing apparatus, 313
Testing environment, 211
Thermoforming, 177
Thrombus deposition, 167
Tissue adhesive, 147
Titanium, 87
Titanium alloy, 39
Torsion, 45
Total joint replacement, 59
Tricalcium phosphate (TCP), 251

UHMWPE, 77

Vascular Grafts, 1
Vibrational testing, 29

Wear debris, 77

XPS photoelectron spectroscopy, 275